EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L22	2316	(xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML or XUI or XUL or (XML User Interface) or (xml near3 widget) or (GUI Machine Language) or GML)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/26 11:28
L23	15	22 and (element or control or widget or icon or menu or container or box or window or button) with (attribute or propert\$4) with format\$4 and (render\$4 or generat\$4) with interface and updat\$4 with interface	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/26 11:30
5	3	23 and (@pd<"20040219" or @ad<"20040219" or @prad<"20040219" or @rlad<"20040219") and (cell \$5phone or cell\$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart\$1phone or (smart phone))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/26 11:30
L26	101	22 and (element or control or widget or icon or menu or container or box or window or button) with (attribute or propert\$4) and render\$4 and format\$4 and updat\$4 with interface	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/26 11:31
	29	26 and (@pd<"20040219" or @ad<"20040219" or @prad<"20040219" or @rlad<"20040219") and (cell \$5phone or cell\$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart\$1phone or (smart phone))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/26 11:31

L28	1	27 and (element or control or widget or icon or menu or container or box or window or button) with move with interface	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/26 11:33
9	96	(US-20080282142-\$ or US-20070266316-\$ or US-20070266316-\$ or US-20070288856-\$ or US-20070288856-\$ or US-20070283280-\$ or US-20030236917-\$ or US-20030027592-\$ or US-20030013483-\$ or US-20020196266-\$ or US-20020137502-\$ or US-20020137502-\$ or US-20020141292-\$ or US-20050216850-\$ or US-20050216850-\$ or US-20030120667-\$ or US-20030158969-\$).did. or (US-20030153380-\$ or US-20040075693-\$ or US-20040075693-\$ or US-20030158969-\$).did. or (US-20030182626-\$ or US-20030182626-\$ or US-20030182626-\$ or US-20030182626-\$ or US-20030182626-\$ or US-2003018380-\$ or US-2003018380-\$ or US-20030193380-\$ or US-20040148586-\$ or US-2004017439-\$ or US-20050076305-\$ or US-20040017439-\$ or US-20040017439-\$ or US-200400177439-\$ or US-20040017758-\$ or US-20040017758-\$ or US-20040017758-\$ or US-6973457-\$ or US-6954652-\$ or US-6953652-\$ or US-6763382-\$ or US-6763382-\$	US-PGPUB; USPAT; EPO; DERWENT	NEAR	O	2011/03/26 11:35

		or US-6392640-\$ or US-6300947-\$ or US-7275243-\$ or US-7412658-\$ or US-7636895-\$ or US-7278130-\$ or US-7137100-\$ or US-6681383-\$ or US-7908595-\$ or US-5481665-\$ or US-7500198-\$ or US-5905492-\$ or US-6091411-\$ or US-7610406-\$ or US-7472350-\$). did. or (US-7219305-\$ or US-6901441-\$ or US-6791587-\$ or US-6731310-\$).did. or (GB-2293951-\$ or EP-1052598-\$ or EP-1193590-\$ or EP-1369842-\$ or GB-2393089-\$ or WO-3067465-\$ or WO-2097660-\$).did. or (GB-2411331-\$ or WO-03067427-\$ or WO-02093877-\$ or WO-03067527-\$ or EP-1052598-\$ or EP-1193590-\$ or EP-1369842-\$ or WO-0155889-\$ or WO-0161508-\$ or WO				
		0195041-\$ or WO-03077140- \$ or DE-19534789-\$ or EP- 1569096-\$).did.				
L30	3	29 and (element or control or widget or icon or menu or container or box or window or button) with move with (interface or updat\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/26 11:36
L31	3	29 and (element or control or widget or icon or menu or container or box or window or button or attribute) with move with (interface or updat \$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/26 11:37
L32	7	29 and (element or control or widget or icon or menu or container or box or window or button or attribute) same move same (interface or updat\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/26 11:37
L33	6	29 and move with (interface or updat\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/26 11:41
L34	1	29 and move with updat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/26 11:41

L35	51	29 and (element or control or widget or icon or menu or container or box or window or button or attribute or interface) with updat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/26 11:44
L36	10	29 and (position or move or location) with updat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/26 12:09
L37	12	29 and (position or mov\$4 or location) with updat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/26 12:13
S1	1	"10598163"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/23 17:15
S2	1	"10/598163"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/23 17:15
83	1	PCT/GB2005/000627	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/23 17:16
S4	6	"0403709.9"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/23 17:16
S5	4	"2005081131"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/23 17:17
S7	1	"10598171"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/23 17:18

S	50	(US-20080282142-\$ or US-20030101085-\$ or US-20090023120-\$ or US-20040093616-\$ or US-20040093616-\$ or US-200400234250-\$ or US-20050050022-\$ or US-20070038500-\$ or US-20070038500-\$ or US-20080033735-\$ or US-20080066100-\$ or US-20080082376-\$ or US-200900171714-\$ or US-20100185712-\$ or US-20100185712-\$ or US-20100185712-\$ or US-20100185712-\$ or US-7506350-\$ or US-7577974-\$ or US-7409710-\$ or US-7844589-\$ or US-7844589-\$ or US-6916273-\$ or US-6916273-\$ or US-7219305-\$ or US-7389361-\$ or US-7308489-\$ or US-7389361-\$ or US-7409710-\$).did.	US-PGPUB; USPAT	NEAR		2011/03/23
S14	3	"20030236917"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/23 17:38
S16	4	"03067427"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/23 17:39
S17	3	"02093877"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/23 17:39

S18	2	"20020078143"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/23 17:43
80 0	30	US-20030084121-\$.DID. OR US-20030120667-\$.DID. OR US-20030158969-\$.DID. OR US-20030182626-\$.DID. OR US-20040034853-\$.DID. OR US-20040075693-\$.DID. OR US-20040177063-\$.DID. OR US-20040261031-\$.DID. OR US-20050057560-\$.DID. OR US-20050108657-\$.DID. OR US-20050216850-\$.DID. OR US-20050277432-\$.DID. OR US-20070288856-\$.DID. OR US-20080153468-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/24 08:54
	36	US-6300947-\$.DID. OR US-6392640-\$.DID. OR US-6763382-\$.DID. OR US-6850255-\$.DID. OR US-6954652-\$.DID. OR US-6973457-\$.DID. OR US-6993362-\$.DID. OR US-7010758-\$.DID. OR US-7480869-\$.DID. OR US-7496645-\$.DID. OR US-20020041292-\$.DID. OR US-20020109718-\$.DID. OR US-20020137502-\$.DID. OR US-20020151327-\$.DID. OR US-20020196266-\$.DID. OR US-20030013483-\$.DID. OR US-20030027592-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/24 09:00
S22	13	EP-1052598-\$.DID. OR EP-1193590-\$.DID. OR EP-1369842-\$.DID. OR GB-2293951-\$.DID. OR WO-01042909-\$.DID. OR WO-0155889-\$.DID. OR WO-0161508-\$.DID. OR WO-0195041-\$.DID. OR WO-03067427-\$.DID. OR WO-03077140-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/24 09:00
S23	2	"6470381".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/24 09:04

S26	3	"03067527"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/24 09:05
S27	0	WO-01042909-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/24 09:09
S37	8213	(XML or ((mark-up or mark \$1up or (mark up)) language)) with user near3 interface	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 14:55
S38	353	(XML or ((mark-up or mark \$1up or (mark up)) language)) with user near3 interface with (cell\$5phone or cell\$4phone or ((mobile or cell \$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone or (smart phone))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 14:55
S39	106	xui	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 14:57
S42	383	xui or (xml ui) or (xml user interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 14:59
S44	4	(xui or (xml ui) or (xml user interface)) with (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or brows \$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone or (smart phone))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 15:00
945	5	(xui or (xml ui) or (xml user interface) or (User Interface Markup Language) UIML) with (cell\$5phone or cell \$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone or (smart phone))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 15:02

S46	23	(xui or (xml ui) or (xml user interface) or (User Interface Markup Language) UIML) same (cell\$5phone or cell \$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone or (smart phone))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 15:03
S47	25	S42 and update\$4 with (interface or attribute) and format\$4 with (interface or attribute) and update\$4 with manag\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 15:04
S48	8	\$38 and update\$4 with (interface or attribute) and format\$4 with (interface or attribute) and update\$4 with manag\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 15:04
S49	0	S46 and update\$4 with (interface or attribute) and format\$4 with (interface or attribute) and update\$4 with manag\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 15:05
S50	14	((XML or ((mark-up or mark \$1up or (mark up)) language)) with user near3 interface with (cell\$5phone or cell\$4phone or ((mobile or cell \$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or sart \$1phone or (smart phone))). ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 15:26
S51	2	"10787948"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 15:37
S52	2	"20050193380"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 15:38
S53	2	"6850255".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 15:52

S55	2	"6300947".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 15:52
S56	2	"6973457".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 15:55
S57	2	"6763382".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 15:55
S59	0	(gui or (user interface)) with ((actor pattern) or (active object pattern))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:01
S60	463	(gui or (user interface)) with actor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:01
S61	202	xui or (xml ui) or (xml user interface) and actor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:02
S62	0	(xui or (xml ui) or (xml user interface) or (User Interface Markup Language) UIML) with (cell\$5phone or cell \$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone or (smart phone)) with actor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:02
S63	0	(xui or (xml ui) or (xml user interface) or (User Interface Markup Language) UIML) with (cell\$5phone or cell \$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone or (smart phone)) and actor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:03

S64		(xui or (xml ui) or (xml user interface) or (User Interface Markup Language) UIML) and (cell\$5phone or cell \$4phone or ((mobile or cell\$4 or portable or brows\$4) ((phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone or (smart phone)) and actor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:03
S 66	3	(xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML) and (cell\$5phone or cell \$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone or (smart phone)) and actor with element	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:07
S67	250	((user interface) or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML) and (cell\$5phone or cell \$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone or (smart phone)) and actor with element	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:13
S68	13	((user interface) or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML) with actor with element and (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart\$1phone or (smart phone))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:14
S70	1	((user interface) or GUI or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML) with actor with element with attribute with render	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:25

S71	3	((user interface) or GUI or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML) same actor same element same attribute same render	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:25
S72	28	((user interface) or GUI or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML) same actor same element same attribute	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:28
S73	9	(US-20080282142-\$ or US-20070266316-\$ or US-20080037452-\$ or US-20070288856-\$ or US-20070288856-\$ or US-20070283280-\$ or US-20070283280-\$ or US-200300236917-\$ or US-20030027592-\$ or US-20030013483-\$ or US-20020196266-\$ or US-20020196266-\$ or US-2002019718-\$ or US-20020109718-\$ or US-20020109718-\$ or US-200201137502-\$ or US-200201137502-\$ or US-200201137502-\$ or US-20020141292-\$ or US-20050277432-\$ or US-20050216850-\$ or US-20050216850-\$ or US-20050057560-\$ or US-20040075693-\$ or US-20040075693-\$ or US-20040075693-\$ or US-20040034853-\$ or US-20030182626-\$).did. or (US-20030182626-\$).did. or (US-20030193380-\$ or US-20040148586-\$).did. or (US-7441047-\$ or US-6470381-\$ or US-7496645-\$ or US-6993362-\$ or US-6973457-\$ or US-6993362-\$ or US-6973457-\$ or US-630947-\$ or US-6763382-\$ or US-630947-\$ or US-6763382-\$ or US-630947-\$ or US-7275243-\$ or US-7412658-\$ or US-7636895-\$ or US-7278130-\$ or US-7137100-\$ or US-7137100-\$ or US-7137100-\$ or US-7137100-\$ or US-7137100-\$ or US-	US-PGPUB; USPAT; EPO; DERWENT	NEAR	O	2011/03/25

		6681383-\$).did. or (GB-2293951-\$ or EP-1052598-\$ or EP-1193590-\$ or EP-1369842-\$).did. or (GB-2411331-\$ or WO-03067427-\$ or WO-02093877-\$ or WO-03067527-\$ or EP-1052598-\$ or EP-1193590-\$ or EP-1369842-\$ or WO-0155889-\$ or WO-0161508-\$ or WO-0195041-\$ or WO-03077140-\$ or DE-19534789-\$ or EP-1569096-\$).did.				
S74	6	S73 and (QUALCOMM.as. or butlin.in.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:51
S75	12	S73 and update\$4 with (interface or attribute) and format\$4 with (interface or attribute)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:52
S76	9	S73 and actor with element	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:52
S77	4	S73 and actor with element and update\$4 with (interface or attribute) and format\$4 with (interface or attribute)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:52
S78	6	S73 and update\$4 with (interface or attribute) and format\$4 with (interface or attribute) and update\$4 with manag\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:52
S79	0	S73 and S39	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:52
S80	10	S73 and S38	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:52
S81	3	S73 and S42	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:53

S82	14	S73 and actor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:53
S83	3	S73 and (move or relocat\$4 or re-colcat\$4) with (actor or element)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:53
S84	3	S73 and (move or relocat\$4 or re-colcat\$4) with (actor or element or updat\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 16:58
S85	13	S73 and (position or location) with (actor or element)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 17:00
S86	36	S73 and (position or location) with (actor or element or control or widget or icon or menu or container or box or window or button)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 17:07
S87	11	\$73 and (cell\$5phone or cell \$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone or (smart phone)) and actor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 17:07
S88	94	actor with (element or control or widget or icon or menu or container or box or window or button) with ((user interface) or GUI or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 17:14
S89	92	actor with (element or control or widget or icon or menu or container or box or window or button) and ((user interface) or GUI or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML).	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 17:15

S90	38	actor with (element or control or widget or icon or menu or container or box or window or button) with ((user interface) or GUI or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML) and render\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 17:16
591	2	actor with (element or control or widget or icon or menu or container or box or window or button) with attribute with ((user interface) or GUI or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML) and render\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 17:17
S92	63	actor with (element or control or widget or icon or menu or container or box or window or button) and ((user interface) or GUI or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML). ti. and render\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 17:17
593	3	actor with (element or control or widget or icon or menu or container or box or window or button) with attribute and ((user interface) or GUI or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML). ti. and render\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 17:17
S94	2	"11421382"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 17:28
S95	3	"20030110470"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 17:30
S97	6	(data near3 file) with (extend \$4 or alter\$4) with (user interface) with (mobile device)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 17:36

598	7	(data near3 file) with (extend \$4 or alter\$4) same (user interface) with (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or brows \$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone or (smart phone))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR		2011/03/25 17:38
S100	50	(data or file) with (extend\$4 or alter\$4) with (user interface) with (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or brows \$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone or (smart phone))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 17:39
S101	9	actor with render\$4 with (element or control or widget or icon or menu or container or box or window or button) and ((user interface) or GUI or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML). ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OZ	2011/03/25 19:07
mS102	0	actor with render\$4 with attribute (element or control or widget or icon or menu or container or box or window or button) and ((user interface) or GUI or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML).	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	NOS	2011/03/25 19:08
S1 03	17	actor same render\$4 same attribute same (element or control or widget or icon or menu or container or box or window or button) and ((user interface) or GUI or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 19:09
S104	1	(3g lab limited).as.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 19:19

S106	16	(3g labs).as.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 19:22
S107	2	"6055424".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 19:39
S110	8	(xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML) with (cell\$5phone or cell \$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone or (smart phone))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:00
S111	302	(xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML or (XML User Interface Language)) and (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or brows \$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone or (smart phone))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:06
S112	494	xml with widget	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:11
S113	84	S112 and (@pd<"20040219" or @ad<"20040219" or @prad<"20040219" or @rlad<"20040219")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:13
S114	133	S111 and (@pd<"20040219" or @ad<"20040219" or @prad<"20040219" or @rlad<"20040219")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:13

cms115	52	S112 and (@pd<"20040219" or @ad<"20040219" or @prad<"20040219" or @prad<"20040219") and (cell \$5phone or cell\$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart\$1phone or (smart phone))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:13
S117	701	(xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML or XUI or XUL or (XML User Interface))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:17
S118	0	Glade Interface Designer	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:23
S119	222	xml near3 widget	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:23
S120	917	(xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML or XUI or XUL or (XML User Interface) or (xml near3 widget))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:24
S121	345	S120 and (@pd< "20040219" or @ad< "20040219" or @prad< "20040219" or @rlad< "20040219")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:25
S122	175	S120 and (@pd<"20040219" or @ad<"20040219" or @prad<"20040219" or @prad<"20040219") and (cell \$5phone or cell\$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart\$1phone or (smart phone))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:26
S123	67	S122 and (element or control or widget or icon or menu or container or box or window or button) with attribute	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:27

S124	43	S122 and (element or control or widget or icon or menu or container or box or window or button) with attribute and render\$4 and updat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:28
S125	58	S122 and (element or control or widget or icon or menu or container or box or window or button) with (attribute or propert\$4) and render\$4 and updat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:28
S126	56	S122 and (element or control or widget or icon or menu or container or box or window or button) with (attribute or propert\$4) and render\$4 and updat\$4 and format\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:29
S127	26	S122 and (element or control or widget or icon or menu or container or box or window or button) with (attribute or propert\$4) and render\$4 and format\$4 and updat\$4 with interface	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:34
S128	3	S122 and (element or control or widget or icon or menu or container or box or window or button) with (attribute or propert\$4) with format\$4 and render\$4 with interface and updat\$4 with interface	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:36
S129	3	S122 and (element or control or widget or icon or menu or container or box or window or button) with (attribute or propert\$4) with format\$4 and (render\$4 or generat\$4) with interface and updat\$4 with interface	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:40
S130	28	S122 and (element or control or widget or icon or menu or container or box or window or button) with (attribute or propert\$4) and (render\$4 or generat\$4) and format\$4 and updat\$4 with interface	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:41
S132	5	"7472350"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 20:48

S133	3	"20040216054"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 21:08
S134	157	"5905492"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 21:08
S135	2	"5905492".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 21:09
S136	2	"6091411".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 21:09
S137	26	US-20030182139-\$.DID. OR US-20030181242-\$.DID. OR US-20030237043-\$.DID. OR US-6677962-\$.DID. OR US-20040046789-\$.DID. OR US-6731310-\$.DID. OR US-20040100490-\$.DID. OR US-6791581-\$.DID. OR US-20040205091-\$.DID. OR US-20040216054-\$.DID. OR US-20050114774-\$.DID. OR US-20050102626-\$.DID. OR US-20050193368-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2011/03/25 21:10

EAST Search History (Interference)

< This search history is empty>

3/26/2011 12:34:52 PM

C:\ Documents and Settings\ bsmith3\ My Documents\ EAST\ Workspaces\ 10-598163.wsp